

भा.कृ.अ.प. - भारतीय मृदा एवं जल संरक्षण संस्थान :: अनुसंधान केन्द्र :: उधगमण्डलम

ICAR – INDIAN INSTITUTE OF SOIL & WATER CONSERVATION – (IISWC)
RESEARCH CENTRE :: UDHAGAMANDALAM – 643 004

कार्यालय / OFFICE – 0423 2444038, 2443992

आवास / RESI. : 0423 2444093

ई – मेल / E – mail : cscooty@gmail.com

फेक्स / FAX : 0423 2446757

No. 24/TSP/2021 - 22 :

15th February, 2022

To

Sub : Supply and installation of 5 HP Solar Pump at Boothnatham, Masinagudi village – quotation calling for – reg.

Sir,

Sealed quotations are invited upto 3.00 P.M. on 07.03.2022 for supply and installation of 5 HP Solar Pump at Boothanatham, Masinagudi village. You are requested to send your competitive quotation in a sealed cover addressed to the undersigned duly superscribed "Quotation supply and installation of 5 HP Solar Pump at Boothanatham Village due on 07.03.2022". The quotations will be opened on the same day at 03.30 P.M. The details of the specification is given below :

Sl. No.	Specifications	Quantity
	SOLAR PUMP	
	HP	5 HP
	Panel	5000 watts polycrystalline panel
	Power Plant type	On Grid
	Plant Load factor	>23%
	Controller	MPPT inbuilt display 3 phase Output AC - 415 V Input AC - 800 V Voltage DC vmp - 580 V Output Amp - 1.7 A per HP In built controller Protection scheme
	Support	GI fixed mounting structure
	Angle with Horizontal	17 - 23 Degree
	Support Structure	GI fixed mounting system
	Fencing	Chain Link fencing with gate for 30 sqm
	Suction and delivery pipe	2 inch pipe for a length of 20 m with foot valve
	Transportation and installation	At Boothanatham, Masinagudi, The Nilgiris

TERMS & CONDITIONS :

1. Rates quoted should be for supply at Boothanatham, Masinagudi, The Nilgiris District, Tamil Nadu.
2. The item is to be delivered within 10 days from the date of purchaser's supply order.
3. The rate quoted should be inclusive of all taxes, warranty and insurance wherever necessary.
4. In addition to the price / cost of the Pump & Accessories, the quotationer should also mention the make and model for which rates has been quoted. Only branded item to be quoted.
5. The quotationer should not submit more than one quotation.
6. The quoting Firm should specify the warrantee (comprehensive) period for the item(s) specified in the quotation.
7. The quotation should be complete in all respects such as minimum quantity of supply, specifications, unit rate, amount, mode of dispatch, etc. If any installations are to be made by the supplier, it should be specified and extra charges, if any; payable thereof should be clearly mentioned in the quotation.
8. The rates quoted should be valid for a minimum period of 60 days from the last date of receiving quotations. Additional features, if any may be added and their rates, quoted separately.
9. The quotations which are received late by the purchaser will be ignored. Further, the purchaser does not accept any liability and responsibility of the quotations in case the same are not properly sealed marked or sent as above.
10. Notwithstanding the above, the purchaser reserves the right to accept any quotation or reject all quotations at any time prior to award of the offer, without assigning any reason whatsoever, and without incurring any liability or obligation to the effected quotation or quotationer.

Yours faithfully,


(K KANNAN)

ACTING HEAD

Encl : details of work.

Copy to :

1. Dr. S. Manivannan, PS (SWCE) for information.
2. Notice Boards : Main Office / Research Farm.